

TechniLab 100/150/200

LIQUID PAINT EXHAUST BOOTH

TechniLab paint booths are designed for the spray application of liquid products, whether solvent-based or water-based (paints, varnishes, adhesives, resins, and specialty coatings). Thanks to their optimized airflow, they efficiently capture paint overspray and airborne particles, ensuring a cleaner and safer working environment.


Compact and robust, TechniLab booths are particularly suitable for maintenance workshops, manufacturing facilities, prototyping operations, craft industries, industrial body shops, and the finishing of small parts.

Available in several widths (1 m, 1.5 m, and 2 m), these paint booths can easily be adapted to the size of the parts being painted and the available workspace.

Easy to install and maintain.

- Dual filtration (Cardboard + Glass fibre) Activated carbon option
- Made in France from galvanised steel
- Complete control unit, EN 16985 standard
- Delivered on a pallet, ready to assemble
- ATEX option (for flammable environments)
- Sheathing Kit Option

CONSUMABLES




Pleated Cardboard
Filter



Fibreglass
cardboard frame



Specifications



SPECIFICATIONS	TechniLab 100	TechniLab 150	TechniLab 200
Width (W)	1000 mm	1500 mm	2000 mm
Height (H) including motor	2600mm	2600mm	2600mm
Depth (D)	1000 mm	1000 mm	1000 mm
Suction area (W x H)	1000 x 1000 mm	1500 x 1000 mm	2000 x 1000 mm
Power Supply	230 V	230 V	230 V
Power Motor	0,55 kW	2,2 kW	1,1 kW
Air flow	2 400 m ³ /h	3 600 m ³ /h	4 800 m ³ /h
Fan outlet diameter	Ø 250 mm	Ø 315 mm	Ø 315 mm
Average suction speed	≥ 0,5 m/s	≥ 0,5 m/s	≥ 0,5 m/s
Double filtration	Yes	Yes	Yes
Option carbon filter	Yes	Yes	Yes
360° swivel spout	Yes	Yes	Yes
Made in France	Yes	Yes	Yes